

Testosterone Enanthate Prior Authorization Request Form (Page 1 of 3)

Member Information (required)			Provider Information (required)		
Member Name:			Provider Name:		
Insurance ID#:			NPI#:	Specialty:	
Date of Birth:			Office Phone:		
Street Address:			Office Fax:		
City:	State:	Zip:	Office Street Address:		
Phone:			City:	State:	Zip:
Medication Information (required)					
Medication Name:			Strength:	Dosage Form:	
<input type="checkbox"/> Check if requesting brand			Directions for Use:		
<input type="checkbox"/> Check if request is for continuation of therapy					
Clinical Information (required)					
Select the diagnosis below:					
<input type="checkbox"/> Delayed puberty					
<input type="checkbox"/> Female-to-male transsexual -gender identity disorder					
<input type="checkbox"/> Hypogonadotropic hypogonadism (congenital or acquired)					
<input type="checkbox"/> Inoperable breast cancer in women					
<input type="checkbox"/> Primary hypogonadism (congenital or acquired)					
<input type="checkbox"/> Other diagnosis: _____ ICD-10 Code(s): _____					
For delayed puberty, answer the following:					
Was the patient a male at birth? <input type="checkbox"/> Yes <input type="checkbox"/> No					
For female-to-male transsexual - gender identity disorder, answer the following:					
Is the patient using hormones to change physical characteristics? <input type="checkbox"/> Yes <input type="checkbox"/> No					
Does the patient have demonstrable knowledge of what hormones medically can and cannot do and their social benefits and risks? <input type="checkbox"/> Yes <input type="checkbox"/> No					
Is there documentation the patient has had real-life experience (living as the other gender) for at least 3 months prior to the administration of hormone? <input type="checkbox"/> Yes <input type="checkbox"/> No					
Has the patient had a period of psychotherapy of a duration specified by the mental health professional after the initial evaluation (usually a minimum of 3 months)? <input type="checkbox"/> Yes <input type="checkbox"/> No					
Does the patient have characteristics that meet the definition of gender identity disorder (see characteristics listed below)? <input type="checkbox"/> Yes <input type="checkbox"/> No					
<ul style="list-style-type: none"> • A strong and persistent cross-gender identification (not merely a desire for any perceived cultural advantages of being the other sex) • Persistent discomfort with his or her sex or sense of inappropriateness in the gender role of that sex • The disturbance is not concurrent with a physical intersex condition • The disturbance causes clinically significant distress or impairment in social, occupational, or other important areas of functioning • The transsexual identity has been present persistently for at least two years • The disorder is not a symptom of another mental disorder or chromosomal abnormality 					
For inoperable breast cancer in women, answer the following:					
Is the medication being used for palliative treatment of inoperable breast cancer? <input type="checkbox"/> Yes <input type="checkbox"/> No					
Was the patient a female at birth? <input type="checkbox"/> Yes <input type="checkbox"/> No					

Testosterone Enanthate Prior Authorization Request Form (Page 2 of 3)

For male hypogonadism, answer the following:

Was the patient a male at birth? Yes No

Does the patient have two pre-treatment serum total testosterone levels less than 280 ng/dL (<9.7 nmol/L) or less than the reference range for the lab? Yes No

Please document two pre-treatment serum total testosterone levels and the reference ranges for the lab:

Total testosterone level: _____ Reference range: _____ Date taken: _____

Total testosterone level: _____ Reference range: _____ Date taken: _____

Does the patient have a condition that may cause altered sex-hormone binding globulin (SHBG) (e.g., thyroid disorder, diabetes, obesity)? Yes No

Does the patient have one pre-treatment calculated free or bioavailable testosterone level less than 5 ng/dL (< 0.17 nmol/L) or less than the reference range for the lab? Yes No

Please document the pre-treatment calculated free or bioavailable testosterone level and the reference range for the lab:

Free testosterone level: _____ Reference range: _____ Date taken: _____

Select if the patient has history of the following:

Bilateral orchiectomy

Panhypopituitarism

A genetic disorder known to cause hypogonadism (e.g., congenital anorchia, Klinefelter's syndrome)

Reauthorization:

If this is a reauthorization request for gender identity disorder or male hypogonadism, answer the following questions:

Does the patient have a follow-up total serum testosterone level drawn from within the past 6 months for patients new to testosterone therapy, or 12 months for patients continuing testosterone therapy that is **within or below** the normal limits of the reporting lab? Yes No

Please document the serum total testosterone level and the reference ranges for the lab:

Current total testosterone level: _____ Reference range: _____ Date taken: _____

Does the patient have a follow-up total serum testosterone level drawn from within the past 6 months for patients new to testosterone therapy, or 12 months for patients continuing testosterone therapy that is **outside** of upper limits of normal for the reporting lab **AND** the dose has been adjusted? Yes No

Does the patient have a condition that may cause altered sex-hormone binding globulin (SHBG) (e.g., thyroid disorder, diabetes, obesity)? Yes No

Does the patient have a follow-up calculated free or bioavailable testosterone level drawn from within the past 6 months for patients new to testosterone therapy, or 12 months for patients continuing testosterone therapy that is **within or below** the normal limits of the reporting lab? Yes No

Please document the free/bioavailable testosterone level and the reference ranges for the lab:

Current free/bioavailable testosterone level: _____ Reference range: _____ Date taken: _____

Does the patient have a follow-up calculated free or bioavailable testosterone level drawn from within the past 6 months for patients new to testosterone therapy, or 12 months for patients continuing testosterone therapy that is **outside** of upper limits of normal for the reporting lab **AND** the dose has been adjusted? Yes No

Are there any other comments, diagnoses, symptoms, medications tried or failed, and/or any other information the physician feels is important to this review?

Please note: This request may be denied unless all required information is received.

Please fax this form to 1-844-712-8129 to initiate a prior authorization review for the member and medication above.

Please note: plan benefits may limit or exclude coverage of specific medications including those requested on this form.

Testosterone Enanthate Prior Authorization Request Form (Page 3 of 3)

I certify, to the best of my knowledge, the statements and information provided on this form are factual and correct.

Provider/Representative (and Title): _____ Date: _____

PROACT INTERNAL USE ONLY:

Clinical Review Decision

Approved, through

Denied (documentation attached, if necessary)

Tracking:

1st Attempt

2nd Attempt

Letter Mailed: